







Spectroscopy

Do you need an idea for a scientific study? Try out one of our ideas or make one of your own.

Start learning right now about how a simple spectroscope is used to find the concentration of a solution. Take the following brief quiz to see how much you already know about how to determine the concentration of a solution. See the bottom of page 4 to check your answers.

- 1. Spectroscopy is best defined as the study of the:
 - a. sound waves moving through matter.
 - b. absorption of light by matter.
 - c. reflection of sound by matter.
 - d. amplification of light by matter.
- 2. A solution undergoes serial dilution. What happens to the relative amount of solute in the solution as the dilution progresses?
 - a. the amount of solute decreases.
 - b. the amount of solute increases.
 - c. the amount of solute remains unchanged.
- 3. What is the *log* of 10^4 ?
 - a. 1
 - b. 4
 - c. 40
 - d. 400
- 4. Which two basic devices are required for a simple spectroscope?
 - a. reflector and detector
 - b. emitter and reflector
 - c. emitter and detector
 - d. reflector and refractor
- 5. The cuvette used in a spectroscope should be:
 - a. made of frosted glass.
 - b. ridged and opaque.
 - c. rounded and transparent.
 - d. smooth, clean, and clear.



Logarithms: Giving it to You Straight

Over the course of time, scientific information has resulted in having to handle very large numbers. This was particularly important around the end of the 16th century when the amount and accuracy of data exploded with the scientific revolution. A mathematician named John Napier is credited for discovering a new technique to handle very large numbers, called logarithms. One wonderful aspect of logarithms is that their use can sometimes turn curved exponential functions into straight lines, which are much easier to deal with mathematically and logically.

Very simply put, a logarithm is a fancy way of saying, "what the heck is the exponent?" So for instance, if you were asked, what is the answer to the problem *log* 10⁷? The correct answer would be "7." This next problem looks a little bit more complicated, but it's still simple if you go back to the original definition of a log. What is the *log* of 1,000,000? Well, 1,000,000 can also be represented as 10⁶, so the *log* of 10⁶ is "6."

Now let's see how logs can straighten out some curved data. Plot the following data on Graph 1.

X	У
1	10
2	100
3	1,000
4	10,000
5	100,000

Convert each of the "y" values in the table to base ten. For instance, $10 = 10^{7}$.

У	10 ^y
10	10 ¹
100	
1,000	
10,000	
100,000	

Find the *log* of each "y" value converted to base ten. For instance, $10 = 10^{7}$.

У	log y
10 ¹	1

Now enter the *log y* values into the data table below, then plot the data on Graph 2.

x	log y
1	1
2	
3	
4	
5	

Graph 1							
100,000	Γ						
90,000	-						
80,000							
70,000							
60,000	-						
50,000							
40,000							
30,000							
20,000							
10,000							
0		1 2	2 ;	3 4	4 5	5	



How do the two graphs compare? Is one easier to interpret than the other?

Spectroscopy

Who did it?

One of the most useful ways that spectroscopy is used is in the analysis of crime scene samples. It's not enough to only know what substance is at a crime scene, but also how much of the sample exists. For instance, let's say that a poison such as arsenic is found in a glass next to a person who police suspect has been murdered. Is this enough evidence to convict a person of the crime? Not at all! Police must also know the concentration of the poison to know whether a lethal dose of the arsenic was present. Spectroscopy can answer this and many other such questions.

Spectroscopy is the study of the absorption and emission of light by matter. To determine the concentration of a solute in a solution, the amount of light absorbed by the particles in the solution is most important. Light is "shot" through a liquid solution and collected on the other side of the solution. The more solute present in the solution, the greater the amount of light absorbed by the solute, the less light is transmitted through the solution.





Please visit our site for more helpful information: STEMsims.com

data easier to interpret

Answers: Page 2 Answers: 1) b, 2) a, 3) b, 4) c, 5) d. Page 3 Logarithms: Giving it to You Straight Answers: 100 = 10° , 1,000 = 10° , 10,000 = 10° , 10

The Science Fair Kits project was funded in part under the Department of Homeland Security Science and Technology Directorate grant contract #N10PC20003. Its contents are solely the responsibilities of the authors and do not necessarily represent the official views of the Department of Homeland Security.

© 2024 STEM Sims. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable, and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent or other industrial or intellectual property rights.